



- S23: (6) ((sensor or detector) same
- S21: (6132) "PIN diode"
- S22: (395) "PIN diode" and (photo ne
- S20: (1) "20040156207"
- S24: (28) ((sensor or detector) same
- S25: (4045) (light or infrared or ul
- S26: (3818) (light or infrared or ul
- S27: (1939) (light or infrared or ul
- S29: (2920) "parabolic mirror" and l
- S28: (136) (light or infrared or ult
- S32: (159) (micro near3 mirror) and
- S35: (0) Forward citation search 2
- S33: (43) (micro near3 mirror) and (
- S30: (2255) (micro near3 mirror) and
- S31: (260) (micro near3 mirror) and
- S34: (0) Forward citation search 1

- Favorites
- Tagged (33)
- UDC
- Queue
- Trash

Search List Browse Queue Gear

DBs US-PGPUB; USPAT; EPO; JPO; DERWENT

☐ Purds

Default operator: OR

☒ Highlight all hit terms initially

(micro near3 mirror) and ((sensor or detector or detect) same (door))

BRs
Search 10/20/06

BRSform IS&Rform Image Text HTML

	U	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval C	Inv
1	<input type="checkbox"/>	US 20060076048	20060413	168	Photo-sensing photovoltaic w	136/246	136/259		Gaudiana;
2	<input type="checkbox"/>	US 20060040739	20060223	15	Virtual input system	463/37			Wells; Wil
3	<input type="checkbox"/>	US 20060034567	20060216	20	Optical beam combiner	385/31			Anderson;
4	<input type="checkbox"/>	US 20060000964	20060105	53	System and method for lithog	250/208.1			Ye; Jun et
5	<input type="checkbox"/>	US 20050268962	20051208	168	Flexible Photovoltaic cells,	136/255	136/249;		Gaudiana,
6	<input type="checkbox"/>	US 20050263026	20051201	40	Electronic still camera, ins	101/492			Aosaki, Kc
7	<input type="checkbox"/>	US 20050257827	20051124	168	Rotational photovoltaic cell	136/263			Gaudiana,
8	<input type="checkbox"/>	US 20050200703	20050915	17	Printer-incorporated electro	348/207.2			Kobayashi,
9	<input type="checkbox"/>	US 20050079326	20050414	67	Electrochromic polymeric sol	428/193	428/332;		Varaprasad
10	<input type="checkbox"/>	US 20050068595	20050331	4	Holographic projection for g	359/15	359/1		Fitzgerald
11	<input type="checkbox"/>	US 20040232313	20041125	54	System and method for lithog	250/208.1			Ye, Jun et
12	<input type="checkbox"/>	US 20040222354	20041111	54	System and method for lithog	250/208.1			Ye, Jun et
13	<input type="checkbox"/>	US 20040202055	20041014	96	Disk cartridge for optical d	369/13.33	369/13.36;		Knight, Gc
14	<input type="checkbox"/>	US 20040201364	20041014	26	Rechargeable battery pack	320/112			Small, Dav
15	<input type="checkbox"/>	US 20040200149	20041014	8	Door area monitoring device	49/26	49/27		Dickmann,
16	<input type="checkbox"/>	US 20040140418	20040722	54	System and method for lithog	250/208.1			Ye, Jun et
17	<input type="checkbox"/>	US 20040119036	20040624	54	System and method for lithog	250/559.45			Ye, Jun et
18	<input type="checkbox"/>	US 20030227277	20031211	30	Rechargeable battery packs f	320/112			Small, Dav
19	<input type="checkbox"/>	US 20030226951	20031211	54	System and method for lithog	250/208.1			Ye, Jun et
20	<input type="checkbox"/>	US 20030169160	20030911	93	Rear-view mirror with multip	340/426.1			Rodriguez
21	<input type="checkbox"/>	US 20030035361	20030220	96	Near-field optical storage s	369/112.24	369/111;		Knight, Gc
22	<input type="checkbox"/>	US 20020030467	20020314	32	Rechargeable battery pack an	320/107			Small, Dav
23	<input type="checkbox"/>	US 20010017649	20010830	55	Capsule	348/45	348/42;		Yaron, Avi
24	<input type="checkbox"/>	US 7116352 B2	20061003	52	Capsule	348/45	348/49;		Yaron; Avi
25	<input type="checkbox"/>	US 7084859 B1	20060801	65	Programmable tactile touch s	345/173	345/156		Pryor; Tim
26	<input type="checkbox"/>	US 7053355 B2	20060530	53	System and method for lithog	250/208.1	250/559.3		Ye; Jun et
27	<input type="checkbox"/>	US 6969864 B2	20051129	54	System and method for lithog	250/559.4	250/208.1		Ye; Jun et
28	<input type="checkbox"/>	US 6969837 B2	20051129	54	System and method for lithog	250/208.1	250/548		Ye; Jun et
29	<input type="checkbox"/>	US 6967676 B1	20051122	17	Printer-incorporated electro	348/207.2	348/207.99;		Kobayashi;
30	<input type="checkbox"/>	US 6963359 B1	20051108	41	Electronic still camera, ins	348/207.2	348/333.01		Aosaki; Kc
31	<input type="checkbox"/>	US 6930717 B1	20050816	17	Printer-incorporated electro	348/333.02	348/207.2;		Kobayashi;
32	<input type="checkbox"/>	US 6884984 B2	20050426	55	System and method for lithog	250/208.1	250/548		Ye; Jun et
33	<input type="checkbox"/>	US 6828542 B2	20041207	54	System and method for lithog	250/208.1	250/559.4		Ye; Jun et
34	<input type="checkbox"/>	US 6806456 B1	20041019	54	System and method for lithog	250/208.1	250/548		Ye; Jun et
35	<input type="checkbox"/>	US 6803554 B2	20041012	54	System and method for lithog	250/208.1	250/559.45		Ye; Jun et
36	<input type="checkbox"/>	US 6777910 B2	20040817	29	Rechargeable battery packs	320/106			Small; Dav
37	<input type="checkbox"/>	US 6750979 B1	20040615	15	Printer-incorporated electro	358/1.14	348/207.2;		Kobayashi;
38	<input type="checkbox"/>	US 6724694 B2	20040420	92	Disk mastering based on near	369/13.55	369/112.24;		Knight; Gc
39	<input type="checkbox"/>	US 6646414 B2	20031111	27	Rechargeable battery pack an	320/106	320/110		Small; Dav
40	<input type="checkbox"/>	US 6646221 B1	20030910	95	Storage media for optical st	369/13.35	369/13.4		Knight; Gc



- ☒ L8: (17) (micro near3 mirror or MEMS)
- ☒ L9: (1035) (micro near3 mirror or ME
- ☒ L10: (215) (micro near3 mirror or ME
- ☒ L11: (148) (micro near3 mirror or ME
- ☒ L12: (25) (micro near3 mirror or MEM
- ☒ L13: (2) "10/881,860"
- ☒ L14: (25) ((micro near3 mirror) or M
- ☒ L15: (749) ((micro near3 mirror) or
- ☒ L16: (52) ((micro near3 mirror) or M

Failed

- ☒ (micro near3 mirror) and ((sensor or
- ☒ (micro near3 mirror) and ((sensor or
- ☒ (micro near3 mirror) and ((sensor or
- ☒ (micro near3 mirror) and ((sensor or
- ☒ (micro near3 mirror or MEMS or DMD)
- ☒ (micro near3 mirror or MEMS or DMD)

Saved

- ☒ S3: (266) micro with mirror with sen
- ☒ S5: (19) Forward citation search 1
- ☒ S16: (4934) (sensor or detector) and
- ☒ S17: (4425) (sensor or detector) and
- ☒ S18: (1227) (sensor or detector) and

Search List Source Queue Doc

DB US-PGPUB:USPAT:EPO:JPO:DERWENT

Default operator: OR

☐ Search☒ Highlight all hits terms briefly

((micro near3 mirror) or MEMS or DMD) with ((scan or pivot) with control)

BRS
searches

BRSform ISARform Image Text HTML

	U	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval C	Inven
1	<input type="checkbox"/>	US 20060176468	20060810	13	Optical range finder with di	356/5.01	356/4.01;		Anderson; No
2	<input type="checkbox"/>	US 20050116038	20050602	19	Scanned beam imager	235/454	235/462.36		Lewis, John
3	<input type="checkbox"/>	US 20050057741	20050317	13	Optical range finder with di	356/5.01			Anderson, No
4	<input type="checkbox"/>	US 20040245338	20041209	10	Light beam shaping arrangeme	235/454			Poloniewicz,
5	<input type="checkbox"/>	US 20030235331	20031225	50	Three-dimensional monitoring	382/154			Kawaike, Nob
6	<input type="checkbox"/>	US 7107848 B2	20060919	5	Active scan velocity control	73/579	73/649;		Turner; Arth
7	<input type="checkbox"/>	US 7023462 B2	20060404	27	Multibeam exposure device	347/236			Fukuda; Take
8	<input type="checkbox"/>	US 7007843 B2	20060307	9	Light beam shaping arrangeme	235/454	235/462.36;		Poloniewicz;
9	<input type="checkbox"/>	US 6625342 B2	20030923	26	Systems and methods for over	385/18	307/143;		Staple; Beva
10	<input type="checkbox"/>	US 6040909 A	20000321	24	Surface position detecting s	356/614	250/548;		Hasegawa; Ma
11	<input type="checkbox"/>	JP 10026724 A	19980127	7	Active type multipoint range				
12	<input type="checkbox"/>	US 5633691 A	19970527	21	Digital micro-mirror array s				DAVIS, G K e



- L7: (3) (micro near3 mirror or MEMS
- L8: (17) (micro near3 mirror or MEMS
- L9: (1035) (micro near3 mirror or ME
- L10: (215) (micro near3 mirror or ME
- L11: (148) (micro near3 mirror or ME
- L12: (25) (micro near3 mirror or MEM
- L13: (2) "10/881,860"
- L14: (25) ((micro near3 mirror) or M
- L15: (749) ((micro near3 mirror) or)
- L16: (52) ((micro near3 mirror) or M
- Failed
 - (micro near3 mirror) and ((sensor or
 - (micro near3 mirror) and ((sensor or
 - (micro near3 mirror) and ((sensor or
 - (micro near3 mirror) and ((sensor or
 - (micro near3 mirror or MEMS or DMD)
 - (micro near3 mirror or MEMS or DMD)
- Saved
 - S3: (266) micro with mirror with sen
 - S5: (19) Forward citation search 1
 - S16: (4934) (sensor or detector) and
 - S17: (4425) (sensor or detector) and

Search List Sources Queue Query

Q8s US-PGPUB:USPAT:EPO:JPO:DERWENT

☐ Pursh

Default operator:

OR

☒ Highlight all hit terms initially

((micro near3 mirror) or MEMS or DMD) with (((planar or flat) with
(non-planar or curve or convex or concave)) with mirror)

BRS form IS&R form Image Text HTML

	U	Document ID	Issue Date	Pages	Title	Current OR	Current XRef	Retrieval C	Inven
1	<input type="checkbox"/>	US 20010030818	20011018	13	Optical router including bis	359/877	359/850;		Clark, Rodne